

Joan is toned in places
you can't even see.
Like her pelvic floor.



For stronger women. Everywhere.

First-line therapy that can improve stress, mixed and urgency urinary incontinence (*including overactive bladder*), as well as chronic fecal incontinence

Leva[®] | PELVIC HEALTH
SYSTEM

Improve your patients' pelvic health with *Leva*[®]



Remote therapy



Only 2.5 minutes 2x/day



Non-drug, non-surgical



Benefits verification provided

How *Leva* works



**Flexible *Leva* Wand
with Motion Sensors + App**



***Leva* Women's Center**



Patient Reports

Published data in the *Green Journal*

***Leva* is clinically superior to Kegels alone with durable results**



Read our pivotal 8-week prospective, randomized controlled trial (RCT).

Obstetrics & Gynecology – April 2022



Read our 6- & 12-month longitudinal analysis.

Obstetrics & Gynecology – January 2023

Multiple studies support the efficacy of *Leva*[®] in treating UI

Leva users in our 8-week Pivotal RCT saw...

...a decrease in leaking episodes from nearly 2 leaks per day




to about 2 leaks per week

As early as four weeks into treatment²

Symptom Severity Validated Survey

0=no symptoms to 100=worst symptoms



37.5

Point at which patient's symptoms are likely no longer bothersome¹

Prescribing *Leva* is easy, here's how to get started

1 Identify your patients who may benefit from *Leva* therapy.

Questions you may ask to determine who is right for *Leva*:

- Are you leaking?
- If yes, does it bother you?

2 Complete the prescription form and email or fax it to the *Leva* Women's Center:


e: fax@levacares.com

f: (877) 800-4371



Get the prescription form

3 *Leva* Women's Center will offer a free consultation and check patients' benefits



Leva[®] | PELVIC HEALTH SYSTEM

To learn more, visit www.levatherapy.com/hcps | Provider Support: (866) 657-5382

The value of the *Leva*® Pelvic Health System



Flexible *Leva* Wand with Motion Sensors + App



Leva Women's Center



Patient Reports

Remote therapy

Only 2.5 minutes 2x/day

Non-drug, non-surgical


Benefits verification provided

Strong clinical data

- *Leva* is clinically superior to Kegels alone^{2,3}
- Improvement seen as early as four weeks into treatment²

Durable results

- *Leva* users saw symptom improvement lasting at least a year³



Getting your patients started on *Leva* is easy.

- Complete the prescription form and email or fax it to our *Leva* Women's Center.
- We'll check your patient's benefits.
- Your local rep can provide *Leva* EMR system integration info.

e: fax@Levacares.com f: (877) 800-4371



Get the prescription form

To learn more, visit www.levatherapy.com/hcps
Provider Support: (866) 657-5382



Important Indication and Other Information for the *Leva* Pelvic Health System: The *Leva* Pelvic Health System is intended for: (1) strengthening of pelvic floor muscles, (2) rehabilitation and training of weak pelvic floor muscles for the treatment of stress, mixed, and mild to moderate urgency urinary incontinence (including overactive bladder) in women and (3) rehabilitation and training of weak pelvic floor muscles for the first-line treatment of chronic fecal incontinence (>3-month uncontrolled passage of feces) in women. Treatment with the *Leva* System is by prescription and is not for everyone. Please talk to your prescriber to see if *Leva* System is right for you. Your prescriber should discuss all potential benefits and risks with you. Do not use *Leva* System while pregnant, or if you think you may be pregnant, unless authorized by your doctor. For a complete summary of the risks and instructions for the *Leva* System, see its **Instructions for Use** available at www.Levatherapy.com.

Sources: 1. Sanderson DJ, Zavez A, Meekins AR, Eddib A, Lee TG, Barber MD, Duecy E. The Patient Acceptable Symptom State in Female Urinary Incontinence. *Female Pelvic Med Reconstr Surg*. 2022 Jan 1;28(1):33-39. doi: 10.1097/SPV.0000000000001055. PMID: 34009829. 2. Weinstein, MM, Dunivan, G, Guaderrama, NM, Richter, HE. Digital Therapeutic Device for Urinary Incontinence: A Randomized Controlled Trial [published online ahead of print, 2022 March 10]. *Obstet Gynecol*. doi: 10.1097/AOG.0000000000004725. 3. Weinstein, Milena M. MD; Dunivan, Gena C. MD; Guaderrama, Noelani M. MD; Richter, Holly E. PhD, MD. Digital Therapeutic Device for Urinary Incontinence: A Longitudinal Analysis at 6 and 12 Months. *Obstetrics & Gynecology* 141(1):p 199-206, January 2023. DOI: 10.1097/AOG.0000000000005036. 4. Weinstein MM, Pulliam SJ, Keyser L, Richter HE. Use of a motion-based digital therapeutic in women with chronic fecal incontinence: A pilot study. *Neurourol Urodyn*. 2022;41(1):475-481. doi:10.1002/nau.24854. 5. Keyser LE, McKinney JL, Pulliam SJ, Weinstein MM. A Digital Health Program for Treatment of Urinary Incontinence: Retrospective Review of Real-World User Data. *Int J Urogynecol J*. 2022 epub August 15, 2022. doi: 10.1007/s00192-022-05321-3. 6. Axena data on file. © 2023 Axena Health. *Leva* and *Leva* Pelvic Health System is a registered trademark of Axena Health. All rights reserved. PM-000053.02